

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:856-786-5974  
 EMSL-CIN-01

**EMSL Order ID:** 012419585  
**LIMS Reference ID:** AC19585  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Creative Learning Center

**Customer PO:**  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 06/10/2024 15:00  
**Reported:** 06/24/2024 17:32

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
<b>Sample: CL-FB/Field Blank</b>									
				<b>Lims Reference ID:</b>	<b>AC19585-01</b>	<b>Matrix: Drinking Water</b>		<b>Sampled: 06/07/24 07:45:00</b>	
<b>Metals</b>									
Lead	1.51		1	1.00	µg/L	06/11/24 12:15	06/12/24 15:29	LXK	EPA 200.8 (DA)/EPA 200.8
<b>Sample: CL-SO-01/Sink Room 5</b>									
				<b>Lims Reference ID:</b>	<b>AC19585-02</b>	<b>Matrix: Drinking Water</b>		<b>Sampled: 06/07/24 07:48:00</b>	
<b>Metals</b>									
Lead	<1.00		1	1.00	µg/L	06/11/24 12:15	06/12/24 15:34	LXK	EPA 200.8 (DA)/EPA 200.8
<b>Sample: CL-SO-02/Sink Room 5 RR</b>									
				<b>Lims Reference ID:</b>	<b>AC19585-03</b>	<b>Matrix: Drinking Water</b>		<b>Sampled: 06/07/24 07:49:00</b>	
<b>Metals</b>									
Lead	<1.00		1	1.00	µg/L	06/11/24 12:15	06/12/24 15:36	LXK	EPA 200.8 (DA)/EPA 200.8
<b>Sample: CL-SO-03/Sink Room 3</b>									
				<b>Lims Reference ID:</b>	<b>AC19585-04</b>	<b>Matrix: Drinking Water</b>		<b>Sampled: 06/07/24 07:51:00</b>	
<b>Metals</b>									
Lead	<1.00		1	1.00	µg/L	06/11/24 12:15	06/12/24 15:38	LXK	EPA 200.8 (DA)/EPA 200.8
<b>Sample: CL-SO-04/Sink Room 3 RR</b>									
				<b>Lims Reference ID:</b>	<b>AC19585-05</b>	<b>Matrix: Drinking Water</b>		<b>Sampled: 06/07/24 07:52:00</b>	
<b>Metals</b>									
Lead	<1.00		1	1.00	µg/L	06/11/24 12:15	06/12/24 15:40	LXK	EPA 200.8 (DA)/EPA 200.8
<b>Sample: CL-SO-05/Sink Room 7 RR</b>									
				<b>Lims Reference ID:</b>	<b>AC19585-06</b>	<b>Matrix: Drinking Water</b>		<b>Sampled: 06/07/24 07:54:00</b>	
<b>Metals</b>									
Lead	<1.00		1	1.00	µg/L	06/11/24 12:15	06/12/24 15:42	LXK	EPA 200.8 (DA)/EPA 200.8
<b>Sample: CL-SO-06/Sink Room 7</b>									
				<b>Lims Reference ID:</b>	<b>AC19585-07</b>	<b>Matrix: Drinking Water</b>		<b>Sampled: 06/07/24 07:55:00</b>	
<b>Metals</b>									
Lead	<1.00		1	1.00	µg/L	06/11/24 12:15	06/12/24 15:44	LXK	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:856-786-5974  
 EMSL-CIN-01

**EMSL Order ID:** 012419585  
**LIMS Reference ID:** AC19585  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Creative Learning Center

**Customer PO:**  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 06/10/2024 15:00  
**Reported:** 06/24/2024 17:32

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2024
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2024
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2024
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2024
California ELAP	California Water Boards	1877	06/30/2024
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2024

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:856-786-5974  
EMSL-CIN-01

**EMSL Order ID:** 012419585  
**LIMS Reference ID:** AC19585  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** Creative Learning Center

**Customer PO:**  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 06/10/2024 15:00  
**Reported:** 06/24/2024 17:32

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. All results for soil samples are reported on a dry weight basis, unless otherwise noted.

Customer Information	Customer ID:	EPIC62		Billing Information	Billing ID:		
	Company Name:	Epic Env. Services			Company Name:	SAME	
	Contact Name:				Billing Contact:		
	Street Address:				Street Address:		
	City, State, Zip:	Country:			City, State, Zip:	Country:	
	Phone:				Phone:		
Email(s) for Report:			Email(s) for Invoice:				

**Project Information**

Project Name/No: Creative Learning Center Purchase Order: \_\_\_\_\_

EMSL LIMS Project ID: \_\_\_\_\_ US State where samples collected: \_\_\_\_\_ State of Connecticut (CT) must select project location:  
 Commercial (Taxable)  Residential (Non-Taxable)

Sampled By Name: James Ebert Sampled By Signature: [Signature] No. of Samples in Shipment: 7

Turn-Around-Time (TAT)

3 Hour  6 Hour  24 Hour  32 Hour  48 Hour  72 Hour  96 Hour  1 Week  2 Week

Please call ahead for large projects and/or turnaround times 8 Hours or Less. \*32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm <sup>2</sup>	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
*Reporting Limit based on a minimum 0.25g sample weight	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
AIR	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
*If no box is checked, non-ASTM Wipe is assumed	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
Wastewater	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Unpreserved <input type="checkbox"/>	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
Preserved with HNO3 <input type="checkbox"/> PH<2	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
Drinking Water	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
Unpreserved <input type="checkbox"/>	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Preserved with HNO3 <input checked="" type="checkbox"/> PH<2				
TSP/SPM Filter				<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
CL-FB	Field Blank	250 mL	6/7/24 0745
CL-SO-01	Sink Room 5	250 mL	6/10/24 0748
CL-SO-02	Sink Room 5 RR	250 mL	6/10/24 0749
CL-SO-03	Sink Room 3	250 mL	6/10/24 0751
CL-SO-04	Sink Room 3 RR	250 mL	6/10/24 0752

Method of Shipment: Hand Delivery Sample Condition Upon Receipt: \_\_\_\_\_

Relinquished by: [Signature] Date/Time: 6/10/24 Received by: [Signature] Date/Time: 6/10/24 3p

Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_

7  
AD



